or well-wisher of the aforesaid minors desire to be appointed or declared as guardian of the person and property of the said minors, he should enter appearance in person in this Court on the aforesaid date and be prepared to adduce on that day, any documentary and oral evidence he may desire to adduce in support of his claim to such appointment or declaration.

Given under my hand and the seal of the Court, this 19th day of December 1946.

777 V. VENUGOPAL, *Addl. Sub-Judge.*

IN THE COURT OF THE PRINCIPAL MUNSIFF AT SHIMOGA.

Miscellaneous Case No. 56 *of* 1946-47.

Kamkar Subba Row, son of Seshagiriyappa, resident of Kamkar, Hanusavalli Village, Kasaba Hobli, Tirthahalli Taluk. ... ... *Petitioner.*

vs.

Seshagiriyappa, son of Kumariah, resident of Kamkar, Hanusavalli Village, Kasaba Hobli, Tirthahalli Taluk. ... ... *Respondent.*

Application for the appointment of a guardian to the person and scheduled property of the minor K. Lakshminarayana Kamkar, aged about 16 years, inhabitant of Kamkar Hanusavalli Village, Kasaba Hobli, Tirthahalli Taluk, and living with petitioner Kamkar Subba Row, son of Seshagiriyappa, resident of Kamkar, Hanusavalli Village, Kasaba Hobli, Tirthahalli Taluk.

The petitioner abovenamed having applied to be appointed the guardian of the person and the schedule property of the minor, the 17th day of January 1947 has been fixed for the hearing of the application and notice is hereby given to all persons and the public that if any other relative, friend, kinsman or well-wisher of the aforesaid minor, desires to be appointed or declared as guardian of the person and property of the said minor, he should enter appearance in person in this court on the aforesaid date and be prepared to adduce on that day any documentary and oral evidence he may desire to adduce in support of his claim to such appointment or declaration.

Given under my hand and the seal of the Court, this 17th day of December 1946.

SCHEDULÆ.

Insurance amount due under Policy No. 22410, standing in the name of K. Manjappa in the Bombay Life Assurance Co., Ltd., amounting to Rs 1,000 and bonus due under the said bond.

774 S. GOVINDA SHARMA, *Pl. Munsiff.*

OFFICE OF THE SECRETARY, STORES PURCHASE COMMITTEE, "UNITED INDIA" BUILDING, BANGALORE.

Notice dated 13th December 1946.

To

The Firms dealing in Electrical Materials.

Enquiry No. 7969--E. D. 963.

Metering Equipment for Post-war development scheme.

Gentlemen,

No. S. P. C. 13758-87. I write to request you to intimate your best present day prices and the earliest time of delivery for the following metering equipment.

Specifications for the supply of 66-kV and 33-kV., 3-phase. 3-wire, metering equipment.

These metering equipments are proposed to be installed in the areas covered by the Mudhugiri Taluk of the Tumkur District and the Jagalur Taluk of the Chitaldrug District, Mysore State. These places have scanty rain fall throughout the year and are subject to severe tropical weather conditions, dust storms, etc., the maximum temperature reaching 140° F in the sun. The equipments that are proposed to be supplied should withstand the extreme climate as described above :—

A: 66-kV, 50 Cycle Metering equipment :—

One—66-kV., 50 Cycle metering equipment consisting of—

(1) One—3 phase or 2 single phase, 50-cy. out-door voltage transformers of suitable V. A. rating with H. T. fusible disconnecting switches.
(ii) Two—50-cy. out-door current transformer of suitable V.A. rating.
(iii) One—Out-door metering cabinet in which the following equipments are to be mounted :—
(a) One Ammeter suitably scaled.
(b) One Volt-meter do
(c) One recording Power Factor Meter do
(d) One Kilowatt Meter suitably scaled.
(e) One Kilowatt-hour Meter do
(f) One 30-minute maximum demand indicator.

These equipments should be liberally rated and of adequate capacity to measure a load of 1000-KVA. to 7500-KVA.

The two out-door current transformers should be supplied with two windings each, providing different ratios in order that the equipment may at first be used with a Load not exceeding 1000-kVA. and later on to measure a load of 7,500-kVA.

The ammeter and Kilo-watt Meter should also be suitably scaled for both loads of 1,000 and 7,500-kVA.

B : 33-kV. 25/50 Cy. metering equipment :—

One—Equipment similar to the above but suitable for initial operation on 25-cycles and ultimate operation on 50-cycles. For conversion, any further additional instruments, etc., that may be necessary should also be quoted.

The equipment should be liberally rated and be of adequate capacity to measure loads up to 1,000-kVA.

The two out-door current transformers should be supplied with two windings each, providing different ratios in order that the equipment may at first be used with a load not exceeding 500-kVA. and later on to measure a load of 1,000-kVA.

The Ammeter and Kilo-watt Meter should also be suitably sealed for both loads of 500 and 1,000-kVA.

The instrument transformers that are proposed to be supplied should conform strictly to the latest B. S. S. and A. I. E. E. standards. The classes of insulation and classes of accuracy of the instrument transformers and measuring instruments respectively should also be stated. The insulation level of all apparatus to be supplied should be adequate to co-relate with the levels of the existing apparatus connected to the 66-kV and 33-kV lines.

It is proposed to have 4 discs for Suspension and five for Strain Strings for 66-kV. Transmission lines and three and four respectively for 33-kV. lines. The discs are either of Locks O.B. type and their technical particulars are furnished below.

Locks.—Cat. No. 580 Rugular type Suspension Insulator, 10" dia 5-¾" spacing Clevis type, Mechanical and Electrical strength 15,000 lbs.—Dry flashover, 80,000 volts, Wet flashover 50 000 volts, Leakage distance 12" Impact Strength 56 inch pounds, puncture strength—130 kV.

Impulse Flashover :—

1 Units	... 150 kV.	4 Units	... 450 kV.
5 do	... 535 kV.	7 Do	... 705 kV.
8 do	... 790 kV.		

Approximate shipping weight 12 lbs. each packed in crates of 6.

O.B. Procelain Supension Insulators, Clevis type 10" dia. 5-¾" section length, Cat. No. 32439, having the following characteristics :

Dry flashover voltage single unit	...	80 kV.
Wet do do	...	50 kV.
Puncture voltage single unit ...	...	125 kV.
Mechanical and Electrical strength minimum	...	15000 lbs.
Impulse Flashover voltage single unit	...	140 kV.
(1·5×40 Micro—second positive wave)		
4 Units	...	440 kV.
5 Do ...	...	525 kV.
7 Do ..	...	695 kV.
8 Do ...	...	780 kV.
Corona voltage single unit ...	...	15 kV.
Leakage distance do ...	...	11¾" kV.

Descriptive leaflets and detailed drawings, if any, pertaining to the equipments to be offered scale sizes V. A. ratings, etc. should also be furnished.

Your quotations should be submitted in duplicate superscribed as "Quotations for Metering Equipment for Post-war Development Scheme" so as to reach this office not later than 28th February 1947.

4583

Dated 16th December 1946.

To

The firms dealing in Electric Materials.

Enquiry No. 8034—E. D. 972.

Hardware Line Materials for Electrification of Channagiri, Pavagada and Madhugiri, etc.

Gentlemen,

No. S P. C. 16163-92. I request you to be so good as to intimate your best present day prices and the earliest time of delivery for the following materials :—

Item No. 1	Galvanised suspension wire clamps each with a minimum of 2 "U" bolts suitable for 2 A.C.S.R. conductor having an overall dia. 0 816 inch. The clamps shall be suitable for attachment to clevis type suspension insulators and to accommodate arcing horns and be proyided with 10 per cent spare "U" bolts and nuts The clamps shall be provided with aluminium liners ..	350	Nos.
,, 2	Do for 2 B&S. for copper conductor but overall diameter 0.2576" without liners ...	650	,,
,, 3	Do for 4 B&S copper 0.2043 inch dia. ...	100	,,
,, 4	Do for 6 do 0 1620 do	650	,,
,, 5	Galvanised strain clamps for 2 A.C.S.R. Item (1) conductor having an overall diameter of 0 816" These clamps shall be suitable for attachment to clevis type suspension insulators with arcing horns (With aluminium liners and 10 per cent spare 'U' bolts and nuts)	80	,,

Item No	6	Do 2 B&S copper wire (Item 2) ...	150	,,
,,	7	Do 4 do (Item 3) ...	20	,,
,,	8	Do 6 do (Item 4) ..	150	,,
,,	9	Galvanised forged steel hooks with an ultimate strength of not less than 20,000 lbs. suitable for attachment to clevis type insulators ...	400	,,
,,	10	Sets of galvanised arcing horns with clevis fittings one top and one bottom arching horn suitable for attachment to suspension type insulators and of suspension wire clamps items 1 to 4	3,500	Sets.
,,	11	Do suitable for strain strings of insulators and strain clamps of items 5 to 8 ...	400	,,
,,	12	Parallel Groove clamps, aluminium with copper plate liners for 2/0 B&S. copper wire with 3 bolts and nuts	50	
,,	13	Do 1/0 B&S do ...	50	
,,	14	Do 2 B&S do ...	110	
,,	15	Do 4 B&S do ...	10	
,,	16	Galvanised crossby clips for 3/8" stranded galvanised steel ground wire	1,570	Nos.
,,	17	Galvanised wire thimbles for use with 3/8" galvanised steel wire	800	,,
,,	18	Galvanised turnbuckles	1,900	,,

The above materials will be required to be tested in accordance with the appropriate B.S.S. or A.I.E.E. specifications.

Full description and drawings in sufficient detail ralating to the materials should be furnished to enable us to determine if the materials offered, comply with our requirements, Alternative offers on any or all items which would serve our purposes as well or better than the above, with details. specifications and reasons for offering such alternatives may also be submitted.

Your quotations may be submitted in duplicate superscribed as "Quotations for Hardware Line Materials for Electrification of Channagiri, Pavagada and Madhugiri" so as to reach this office not later than 22nd February 1946.

4633

Dated 18th December 1946.

To

The Firms dealing in Diesel Road Roller.

Enquiry No. 8039.

3½/5 Ton Diesel Road Roller.

Dear Sir/Gentlemen,

No. S. P. C. 16469-80. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, f.o.r. Talaguppa.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Road Roller to Jog Power Scheme" with the above enquiry number.

This enquiry will be closed on the 30th January 1947.

SCHEDULE.

3½-5 Ton-Buffalo-Springfield 3 Wheeled Diesel Roller.

Dimensions.

Wheelbase	...	...	98½"
Length over-all	...	...	159½"
Width over-all	...	...	69"
Height over-all	...	...	68½"
Ground clearance	...	...	14"
Drive Rolls, dia x width	...	...	48" x 18"
Guide Roll, dia. x width	...	...	30" x 36"

Weights.

Net metal weight	...	...	8,600 lbs.
Maximum working weight	...	...	11,300 ,,

Compressions (per linear inch on rolls).

Without water ballast drive rolls	...	162	,,
Guide roll	...	77	,,
With water ballast drive rolls	...	221	,,
Guide roll	...	96	,,

Speeds.

Low gear @ 1,000 r.p.m.	...	1.8	m.p.h.
High gear @ 1 400 r.p.m.	...	4	,,

Capacities.

Fuel oil tank	...	20	glns.
Engine cooling system	...	6½	,,
Engine Crankcase	...	9	qts.
Drive rolls, each	...	92½	glns.
Guide roll	...	46½	,,
Sprinkler water tank	...	40	,,
Transmission Housing	...	4½	qts.

4596

Dated 20th December 1946.

To

The Firms dealing in Sensitized Papers.

Enquiry No. 8049.

Sensitized Papers, etc., required for Government Departments during 1946-47.

Dear Sir/Gentlemen,

No. S. P. C. 16659-70. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Sensitized Papers, etc., required for Government Departments during 1946-47", with the above enquiry number.

This enquiry will be closed on the 4th January 1947.

SCHEDULE.

Item No.	Description of material offered.	Quantity	Price quoted F. O. R.	Time of delivery.
1	Ferro Prussiate Paper in rolls of 40"×10 yds. 110 gr/gm.	...	Any Railway Station in the State.	
2	Ammonia Vapour Paper in rolls of 10 yds. × 40" wide, 100 grammes.	...		
3	Azo Print Paper in rolls of 10 yds. ×110 gr/gm.	...		
4	White Print Paper in rolls of 10 yds.×40".	....		

N.B:—(1) The prices to be quoted should hold good for a period of one year from the date of order and no enhancement in rate will be allowed during the period of the contract.

(2) The quantities required cannot be guaranteed. Only such quantities as may be required by the Departments from time to time, will have to be supplied on indents from them. The contract will be deemed to be limited to the quantities actually drawn.

(3) All the indents should be complied with within 2 weeks from the date of receipt of indents.

4597 D. S. RAGHAVENDRACHAR, *Secy., S. P. C.*

THE BANK OF MYSORE, LTD., BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 13th December 1946, published under Article 141 of the Articles of Association:—

LIABILITIES.		Rs.
To Capital Receipts	..	40,00,000
,, Reserve Fund	..	64,00,000
,, Public and other Deposits	..	14,42,69,756
,, Sundries	..	13,81,764
(Annas and Pies omitted.) Total	...	15,60,51,520

ASSETS.		Rs.
By Cash in hand and at Bankers	..	5,15,92,391
,, Loans and Cash Credit Accounts	..	6,97,38,295
,, Bills discounted and purchased	..	98,49,069
,, Investments	..	2,34,49,710
,, Balance at Agencies	..	...
,, Dead Stock	..	9,66,441
,, Sundries	..	4,55,614
Total	...	15,60,51,520

BANGALORE,
780 *Dated 19th December 1946.*

B. V. NARAYANA REDDY, *Manager.*